



according to Regulation (EC) No 1907/2006

# Fire Extinguisher Spray OFFICE

Print date: 22.02.2016 Page 1 of 7

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Fire Extinguisher Spray OFFICE

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Extinguishing media

### 1.3. Details of the supplier of the safety data sheet

Company name: Prymos GmbH
Street: Gerbermühlstraße 9
Place: D-60594 Frankfurt am Main

Telephone: +49 (0)69 66 05 939-0 Telefax: +49 (0)69 66 05 939-29

e-mail (Contact person): info@prymos.com **1.4. Emergency telephone** +49 (0)69 66 05 939-0

number:

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories: Aerosol: Aerosol 3 Hazard Statements:

Pressurised container: May burst if heated.

### 2.2. Label elements

# Regulation (EC) No. 1272/2008

Signal word: Warning

# Hazard statements

H229 Pressurised container: May burst if heated.

#### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### 2.3. Other hazards

none

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **Chemical characterization**

inorganic salts, in aqueous solution

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Take off immediately all contaminated clothing.

#### After inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing.



Prymos GmbH

according to Regulation (EC) No 1907/2006

# Fire Extinguisher Spray OFFICE

Print date: 22.02.2016 Page 2 of 7

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

None are known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Product acts as extinguishing media.

#### Unsuitable extinguishing media

not applicable

#### 5.2. Special hazards arising from the substance or mixture

none

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Avoid contact with skin, eyes and clothes.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### 6.3. Methods and material for containment and cleaning up

Provide adequate ventilation. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

# 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations.

#### Advice on protection against fire and explosion

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

#### 7.2. Conditions for safe storage, including any incompatibilities





according to Regulation (EC) No 1907/2006

# **Fire Extinguisher Spray OFFICE**

Print date: 22.02.2016 Page 3 of 7

#### Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place.

#### Advice on storage compatibility

Do not store together with: Oxidising agent Further information on storage conditions

Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F.

Protect against: Frost

#### 7.3. Specific end use(s)

not applicable

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Additional advice on limit values

Does not contain substances above concentration limits fixing an occupational exposure limit.

#### 8.2. Exposure controls

## Appropriate engineering controls

Personal protective equipment has to be chosen in accordance with workplace specific conditions, e. g. concentration of the product. Chemical resistance has to be clarified with the supplier of protective equipment.

#### Protective and hygiene measures

Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately.

#### Eye/face protection

Wear eye/face protection.

#### Hand protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

#### Skin protection

Protective apron

### **Respiratory protection**

Respiratory protection necessary at: insufficient ventilation

Suitable respiratory protection apparatus: Particle filter device (DIN EN 143)

#### **Environmental exposure controls**

See section 7. No additional measures necessary.

#### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Aerosol
Colour: colourless
Odour: characteristic

Test method

pH-Value (at 20 °C): 4,5 Active agent

Changes in the physical state

Melting point:
Initial boiling point and boiling range:
Initial boiling point and boiling range:
Inot applicable
Inot applicable
Inot applicable



Prymos GmbH

according to Regulation (EC) No 1907/2006

# Fire Extinguisher Spray OFFICE

Print date: 22.02.2016 Page 4 of 7

#### **Explosive properties**

not explosive.

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable
not applicable
not determined

#### **Oxidizing properties**

none

Vapour pressure: 23,37 hPa

(at 20 °C)

Density (at 20 °C):

Water solubility:

Viscosity / dynamic:

Viscosity / kinematic:

Not determined

Vapour density:

Evaporation rate:

1,104 g/cm³

not determined

not determined

#### 9.2. Other information

none

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

## 10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

## 10.5. Incompatible materials

none

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

# Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.





according to Regulation (EC) No 1907/2006

# Fire Extinguisher Spray OFFICE

Print date: 22.02.2016 Page 5 of 7

#### Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

There are no data available on the mixture itself.

#### 12.2. Persistence and degradability

There are no data available on the mixture itself.

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### 12.4. Mobility in soil

If product enters soil, it will be mobile and may contaminate groundwater.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

none

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

# Advice on disposal

Dispose of waste according to applicable legislation.

### Waste disposal number of waste from residues/unused products

160505 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers other than those mentioned in 16 05 04

#### Waste disposal number of contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

#### Contaminated packaging

Dispose of waste according to applicable legislation.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.2



Classification code:

Special Provisions: 190 327 344 625



according to Regulation (EC) No 1907/2006

# **Fire Extinguisher Spray OFFICE**

Print date: 22.02.2016 Page 6 of 7

Limited quantity: 1 L
Excepted quantity: E0
Transport category: 3
Tunnel restriction code: E

#### Other applicable information (land transport)

Transport as "limited quantity" according to chapter 3.4 ADR/RID.

#### Inland waterways transport (ADN)

14.1. UN number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.2



Classification code: 5A

Special Provisions: 190 327 344 625

Limited quantity: 1 L Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):2.214.4. Packing group:-Hazard label:2.2



Marine pollutant:

Special Provisions: 63, 190, 277, 327, 344, 959

Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D, S-U

Air transport (ICAO)

**14.1. UN number:** UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es):2.214.4. Packing group:-Hazard label:2.2



Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G Passenger LQ: Y203 Excepted quantity: E0

IATA-packing instructions - Passenger: 203 IATA-max. quantity - Passenger: 75 kg



Prymos GmbH

according to Regulation (EC) No 1907/2006

# Fire Extinguisher Spray OFFICE

Print date: 22.02.2016 Page 7 of 7

IATA-packing instructions - Cargo: 203 IATA-max. quantity - Cargo: 150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

see section 6 - 8

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not relevant

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulatory information** 

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Relevant H and EUH statements (number and full text)

H229 Pressurised container: May burst if heated.

### **Further Information**

Data sources: Data arise from reference works and literature.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)